

We have developed a new solution to jumpstarting devices and for providing remote charging capabilities. Our Copper Core Jumper Bushings provide high current passing properties along with high torque strength.

Copper Core Power Bushing

Part Number	Post	Amperages	Colour
CCB376N0N02	3/8"	Norm:440 - Peak:550	Red
CCB376N0N02W *	3/8"	Norm:440 - Peak:550	Red
CCB376N0N14	3/8"	Norm:440 - Peak:550	Black
CCB376N0N14W *	3/8"	Norm:440 - Peak:550	Black
CCB376N0NR02	3/8"	Norm:440 - Peak:550	F/Red
CCB376N0NR02W *	3/8"	Norm:440 - Peak:550	F/Red
CCB376N1N02W #	3/8"	Norm:440 - Peak:550	Red
CCB376N1N14W #	3/8"	Norm:440 - Peak:550	Black
CCB376N1NR02W #	3/8"	Norm:440 - Peak:550	F/Red
CCB378N02	3/8"	Norm:600 - Peak:750	Red
CCB378N02W *	3/8"	Norm:600 - Peak:750	Red
CCB378N14	3/8"	Norm:600 - Peak:750	Black
CCB378N14W *	3/8"	Norm:600 - Peak:750	Black
CCB506N02	1/2"	Norm:440 - Peak:550	Red
CCB506N02W *	1/2"	Norm:440 - Peak:550	Red
CCB506N14	1/2"	Norm:440 - Peak:550	Black
CCB506N14W *	1/2"	Norm:440 - Peak:550	Black
CCB516N02W #	1/2"	Norm:440 - Peak:550	Red
CCB516N14W #	1/2"	Norm:440 - Peak:550	Black





- High energy transfer and High torque capabilities
- High Anti-Rotation
- Maximum Panel Thickness: 9.5mm
- Maximum Voltage: 48 VDC
- Bushing Material: Glass-Filled Nylon
- Post Material: Nickel-Plated Steel
- Weatherproof part ("W") includes:

* (1)x 358N Series sealing ring & (1)x 258N4 Series insulator
# (1)x 358N Series sealing ring & (1)x 258N9 Series insulator

ELECTRO-MECHANICAL


POWER BUSHINGS

IMPERIAL


Our Copper Core Flange Bushing utilises the same copper core as our CCB, to pass current through a panel. The bushing is fastened by 4 screws or bolts and has insulator retention grooves to provide a secure fit for terminal insulators on both sides.


Copper Core Flange Bushing

Part Number	Post	Amperages	Colour
CCFB376N02	3/8"	Norm:440 - Peak:550	Red
CCFB376N02W *	3/8"	Norm:440 - Peak:550	Red
CCFB376N14	3/8"	Norm:440 - Peak:550	Black
CCFB376N14W *	3/8"	Norm:440 - Peak:550	Black
CCFB378N02	3/8"	Norm:600 - Peak:750	Red
CCFB378N02W *	3/8"	Norm:600 - Peak:750	Red
CCFB378N14	3/8"	Norm:600 - Peak:750	Black
CCFB378N14W *	3/8"	Norm:600 - Peak:750	Black
CCFB506N02	1/2"	Norm:440 - Peak:550	Red
CCFB506N02W *	1/2"	Norm:440 - Peak:550	Red
CCFB506N14	1/2"	Norm:440 - Peak:550	Black
CCFB506N14W *	1/2"	Norm:440 - Peak:550	Black



CCFB Mounted:
Mounts with Bolts or Screws





- High energy transfer and High torque capabilities
- High Anti-Rotation
- Maximum Panel Thickness: 9.53mm
- Maximum Voltage: 48 VDC
- Bushing Material: Glass-Filled Nylon
- Fastener (Nut) Material: Stainless Steel
- Post Material: Nickel-Plated Steel
- Weatherproof part ("W") includes:


* (1)x reinforced silicone gasket & (1)x 232N3 Series insulator

An effective solution to jumpstarting devices and for providing remote charging capabilities. The copper core is cold swaged into a hex shape equipping high energy transfer performance.

All Jumper Bushings are compatible with common 'Double D' punches to increase anti-rotation characteristics.

Copper Core Jumper Bushing

Part Number	Post	Amps	Max Voltage	Colour
CCJB376N0NR02	3/8"	350	48 VDC	Red
CCJB376N0N14	3/8"	350	48 VDC	Black



- High energy transfer and High torque capabilities
- High Anti-Rotation
- Maximum Panel Thickness: 9.53mm
- Maximum Voltage: 48 VDC
- Pass electrical current through a barrier or panel


- Bushing Material: Glass-Filled Nylon
- Post Material: Nickel Plated Mild Steel
- Hex Cap Material: Brass
- Includes post insulator, which helps comply with safety regulations

Copper Core Jumper - Flush Mount Kit

Part Number	Post	Amps	Max Voltage	Colour
CCJB376FMK	3/8"	350	48 VDC	Red & Black




- 1x Red Copper Core Jumper Bushing
- 1x Black Copper Core Jumper Bushing
- 1x Adhesive Decal for installation drilling guide
- 1x Protection Divider with Screws (2)



Copper Core Jumper - Bracket Mount Kit

Part Number	Post	Amps	Max Voltage	Colour
CCJB376BMK	3/8"	350	48 VDC	Red & Black





- 1x Red Copper Core Jumper Bushing
- 1x Black Copper Core Jumper Bushing
- 1x Protection Divider with Screws (2)
- 1x Mounting Bracket - Powder Coated & Pre-drilled

